

SUPPLIES & ACCESSORIES


ELECTROCARDIOGRAPHY





AAMI Color Coding



ECG Combiner Lead Wires & Cables

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and single patient multiple use lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description		Length	Qty
ECG Combiner Lead Wire Sets - requires ECG Combiner Cable or Adapter				
Disposable, DIN Shielded, Pinch, AAMI				
 700-0006-50	3-Lead	Pinch	127cm /50 in	25 Sets
* 700-0006-32	5 Lead	Pinch	127cm /50 in	25 Sets
* 700-0006-33	5 Lead (V-Lead)	Pinch	127cm /50 in	25 Sets
Disposable, DIN Shielded, Snap, AAMI				
 700-0006-60	3-Lead	Snap	127cm /50 in	25 Sets
700-0006-61	5 Lead	Snap	127cm /50 in	25 Sets
Reusable, DIN Shielded, Pinch, AAMI				
 * 700-0006-35	3 Lead	Pinch	74cm /29 in	1 Set
* 700-0006-37	5 Lead	Pinch	74cm /29 in	1 Set
* 700-0006-38	5 Lead (V-Lead)	Pinch	74cm /29 in	1 Set
700-0010-00	3 Lead	Pinch	130cm/51 in	1 Set
* 700-0010-01	5 Lead	Pinch	130cm/51 in	1 Set
700-0010-02	5 Lead (V-Lead)	Pinch	130cm/51 in	1 Set
Reusable, DIN Shielded, Snap, AAMI				
 * 700-0007-35	3 Lead	Snap	74cm /29 in	1 Set
* 700-0007-37	5 Lead	Snap	74cm /29 in	1 Set
700-0010-18	3-Lead	Snap	130cm /51 in	1 Set
700-0010-19	5-Lead	Snap	130cm /51 in	1 Set

* Product not available for sale into CE Mark Countries (EU)


ECG Combiner Radiolucent Lead Wire Sets - requires ECG Combiner Cable or Adapter



Radiolucent, Reusable, DIN Unshielded, Pinch, AAMI				
700-0010-07	3 Lead, Radiolucent	Pinch	183cm/72 in	1 Set
700-0010-06	5 Lead, Radiolucent	Pinch	122cm/48 in	1 Set
700-0010-08	5 Lead, Radiolucent	Pinch	183cm/72 in	1 Set

ECG Combiner Lead Wires & Cables

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and single patient multiple use lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description	Length	Qty
ECG Combiner Cables			
Spacelabs Connect Hardwired Cables for use with Spacelabs command module 90496/91496			
* 700-0008-55	3 Lead	305 cm/10 ft	1 Cable
* 700-0008-57	5 Lead	305 cm/10 ft	1 Cable
700-0008-32	5 Lead	457 cm/15 ft	1 Cable
* 700-0008-56	10 Lead (5+5)	305 cm/10 ft	1 Cable
* Product not available for sale into CE Mark Countries (EU)			



ECG Combiner Adapters

Spacelabs Telemetry, AAMI			
700-0008-80	5 Lead	Ultraview Telemetry (9034X/ 9134X)	1 Adapter
700-0008-88	5 Lead	Aria Telemetry (96281)	1 Adapter

ECG Combiner Cables for Standardization

Other manufacturers			
700-0008-37	5 Lead	GE	305 cm/10 ft 1 Cable
700-0008-48	10 Lead (5+5)	Philips	305 cm/10 ft 1 Cable
700-0008-49	5 Lead	Philips	305 cm/10 ft 1 Cable
Indicates discontinued part, available while supplies last			



ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



Shielded Lead Wire



91496

Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

ECG Lead Wire Sets, Shielded, Reusable, AAMI



Snap

Snap Sets

700-0007-00	3 Lead, Shielded	61 cm/24 in	1 Set
700-0007-02	3 Lead, Shielded	102 cm/40 in	1 Set
700-0007-08	5 Lead, Shielded	61 cm/24 in	1 Set
700-0007-10	5 Lead, Shielded	102 cm/40 in	1 Set
700-0007-16	10 Lead, limb/chest, Shielded	61 cm/24 in	1 Set
700-0007-18	10 Lead, limb/chest, Shielded	102 cm/40 in	1 Set



Pinch

Pinch Sets

700-0006-00	3 Lead, Shielded	61 cm/24 in	1 Set
700-0006-02	3 Lead, Shielded	102 cm/40 in	1 Set
700-0006-08	5 Lead, Shielded	61 cm/24 in	1 Set
700-0006-10	5 Lead, Shielded	102 cm/40 in	1 Set
700-0006-16	10 Lead, limb/chest, Shielded	61 cm/24 in	1 Set

ECG Lead Wires, Individual Colors, Shielded, Reusable, AAMI



24" Snap Individual Color

012-0498-00	Red	61 cm/24 in	3/Pack
012-0498-04	Black	61 cm/24 in	3/Pack
012-0498-34	Black	61 cm/24 in	5/Pack
012-0498-05	Brown	61 cm/24 in	3/Pack
012-0498-03	White	61 cm/24 in	3/Pack
012-0498-01	Green	61 cm/24 in	3/Pack
012-0498-06	Red	102 cm/40 in	3/Pack
012-0498-09	Black	102 cm/40 in	3/Pack
012-0498-27	Brown	102 cm/40 in	3/Pack
012-0498-08	White	102 cm/40 in	3/Pack
012-0498-07	Green	102 cm/40 in	3/Pack

Indicates discontinued part, available while supplies last

ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



Shielded Lead Wire



91496

Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

ECG Cables, Shielded, AAMI



With 17 PIN Adapter

700-0008-08	3 Lead, Shielded	305 cm/10 ft	1 Cable
700-0008-06	5 Lead, Shielded	305 cm/10 ft	1 Cable
700-0008-00	10 Lead, Shielded	305 cm/10 ft	1 Cable

ECG Accessories



Electrodes

690-0289-00	ECG electrode, transparent tape, adult, single use	Adult	30/Box
-------------	--	-------	--------

Indicates discontinued part, available while supplies last

Neonatal ECG Supplies & Accessories



DIN Unshielded, Neonatal ECG Cable

700-0008-12	3 Lead	Neonatal	1 Cable
-------------	--------	----------	---------

DIN Unshielded, Neonatal Electrodes. 717-0080-00 will replace 685-0037-00 when stock is depleted

717-0080-00	Pre-wired neonatal electrodes, Pre-gelled, silver/silver chloride, single use	Available for sale in EU countries or those requiring a CE-Mark	3-Lead 100 Sets/Box
-------------	---	--	------------------------

Electrode

690-0290-00	ECG electrode, transparent tape, pediatric/neonatal, single use	Ped/Neo	30/Box
-------------	---	---------	--------

DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded

Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

ECG Lead Wire Sets, DIN Unshielded, Reusable, AAMI



Snap

Snap Sets

012-0283-11	3 Lead	61 cm/24 in	1 Set
012-0285-11	5 Lead	61 cm/24 in	1 Set
012-0605-10	5 Lead	64 cm/25.2 in	1 Set



Pinch

Pinch Sets

012-0284-11	3 Lead	61 cm/24 in	1 Set
012-0286-11	5 Lead	61 cm/24 in	1 Set

ECG Lead Wires, Individual Colors, DIN Unshielded, Reusable, AAMI



Snap

Snap Individual Color

012-0295-06	Red	61 cm/24 in	3/Pack
012-0295-26	Black	61 cm/24 in	3/Pack
012-0295-46	Brown	61 cm/24 in	3/Pack
012-0295-16	White	61 cm/24 in	3/Pack
012-0295-36	Green	61 cm/24 in	3/Pack

ECG Lead Wires, Individual Colors, DIN Unshielded, Reusable, AAMI



Pinch

Pinch Individual Color

012-0296-04	Red	61 cm/24 in	3/Pack
012-0296-14	White	61 cm/24 in	3/Pack
012-0296-24	Black	61 cm/24 in	3/Pack
012-0296-34	Green	61 cm/24 in	3/Pack
012-0296-44	Brown	61 cm/24 in	3/Pack

DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

Telemetry Transmitter Adapters

For use with ECG Combiner Lead Wires



700-0008-88	Aria Telemetry Combiner Adapter (96281)		1 Adapter
-------------	---	--	-----------

For use with DIN Unshielded Lead Wires



706-0191-00	Aria Telemetry Grouper (96281)		5/Bag
-------------	--------------------------------	--	-------

Telemetry Accessories

Disposable Pouches and Electrodes



015-0500-02	Ultraview Telemetry pouch (90347)		100/Box
-------------	-----------------------------------	--	---------



690-0289-00	ECG electrode, transparent tape, adult, single use	Adult	30/Box
-------------	--	-------	--------

DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



DIN Un-Shielded

Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

SpO₂ Cable & Sensors

Note: Only the below genuine Spacelabs and Nellcor branded SpO₂ sensors are compatible with Spacelabs Telemetry systems

SpO₂ Cable



700-0014-00	TruLink SpO2 Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO2 sensors	60 cm/24 in	1 Cable
-------------	--	-------------	---------

Reusable SpO₂ Sensors



015-0660-00	TruLink SpO ₂ finger sensor	Adult >30 kg/66 lbs.	1 Each
-------------	--	-------------------------	--------



690-0003-01	Nellcor DS-100A, finger SpO2 sensor <i>Available for sale with monitor purchase</i>	Adult >30 kg/66 lbs.	1 Each
-------------	--	-------------------------	--------

Disposable SpO₂ Sensors



015-0662-00	TruLink SpO ₂ foam sensor	Adult > 30 kg/66 lbs.	24/Box
-------------	--------------------------------------	--------------------------	--------



015-0663-00	TruLink SpO ₂ vinyl sensor	Adult >30 kg/66 lbs.	24/Box
-------------	---------------------------------------	-------------------------	--------



015-0664-00	TruLink SpO ₂ foam sensor	Pediatric 10-50 kg/ 22-110 lbs.	24/Box
-------------	--------------------------------------	---------------------------------------	--------



015-0665-00	TruLink SpO ₂ vinyl sensor	Pediatric 10-50 kg/ 22-110 lbs.	24/Box
-------------	---------------------------------------	---------------------------------------	--------



015-0667-00	TruLink SpO ₂ cloth sensor	Neonatal <3 kg/7 lbs.	24/Box
-------------	---------------------------------------	--------------------------	--------

Indicates discontinued part, available while supplies last