## **Manufacturer Disclosure Statement for Medical Device Security -- MDS2**

 Spacelabs Healthcare
 96170 \_\_\_\_\_
 091-0427-00 Rev A

Question ID	Question		See note
Question ID DOC-1	Manufacturer Name	Spacelabs Healthcare	See note
DOC-1	Manufacturer Name	Rothman Index applications are a	_
		Clinical Decision Support tool for	
		clinicians to provide actionable	
		insights that integrate with clinical	
		workflow for a range of different	
		use-cases, while facilitating insight	
		into the clinical drivers of changing	
DOC-2	Device Description	patient condition	_
DOC-3	Device Model	96170	_
DOC-4	Document ID	Spacelabs Healthcare, 35301 S.E.	_
		Center Street, Snoqualmie, WA	
DOC-5	Manufacturer Contact Information	98065	
	Intended use of device in network-connected		
DOC-6	environment:		_
DOC-7	Document Release Date		_
			We publish bulletins for major vulnerabilities and
	Considerated Walescability Disalogues Donoths		threats as they emerge and we assess them. They
	Coordinated Vulnerability Disclosure: Does the		are found on our website
DOC-8	manufacturer have a vulnerability disclosure program for this device?	Yes	https://www.spacelabshealthcare.com/products/se curity/security-advisories-and-archives/
3000	ISAO: Is the manufacturer part of an Information		and distinctly
DOC-9	Sharing and Analysis Organization?	No	_
	· · · ·		
	Diagram: Is a network or data flow diagram available		
	that indicates connections to other system		
DOC-10	components or expected external resources?	Yes	_
50044	SaMD: Is the device Software as a Medical Device	.,	
DOC-11 DOC-11.1	(i.e. software-only, no hardware)?  Does the SaMD contain an operating system?	Yes No	_
DOC-11.1	Does the SaMD rely on an owner/operator provided	NO	_
DOC-11.2	operating system?	N/A	
DOC-11.2	Is the SaMD hosted by the manufacturer?	N/A	_
DOC-11.3	o the same nested 27 the managed are.	Yes	
500 12.0			Hosted in the Spacelabs Data center or in the GCP
DOC-11.4	Is the SaMD hosted by the customer?	See Notes	Cloud Platform.
		Yes, No,	
		N/A, or	Note #
	MANAGEMENT OF PERSONALLY IDENTIFIABLE	See Note	Note #
	INFORMATION		
	Can this device display, transmit, store, or modify		
	personally identifiable information (e.g. electronic		
MPII-1	Protected Health Information (ePHI))?	Yes	_
	Does the device maintain personally identifiable		
MPII-2	information?	No	
	Does the device maintain personally identifiable		
MADU 2.4	information temporarily in volatile memory (i.e.,	N.	
MPII-2.1	until cleared by power-off or reset)?  Does the device store personally identifiable	No	_
MPII-2.2	information persistently on internal media?	Yes	
2.2	Is personally identifiable information preserved in		_
	the device's non-volatile memory until explicitly		
MPII-2.3	erased?	Yes	_
	Does the device store personally identifiable		
MPII-2.4	information in a database?	Yes	_
	Does the device allow configuration to suitage the		
	Does the device allow configuration to automatically delete local personally identifiable information after		
MPII-2.5	it is stored to a long term solution?	Yes	
2.0	Does the device import/export personally		_
	identifiable information with other systems (e.g., a		
	wearable monitoring device might export personally		
MPII-2.6	identifiable information to a server)?	Yes	_
	Does the device maintain personally identifiable		
MDII 2.7	information when powered off, or during power	Vos	
MPII-2.7	service interruptions?	Yes	_

Spacelabs Healthcare	96170	)	091-0427-00 Rev A
	Does the device allow the internal media to be		
	removed by a service technician (e.g., for separate		
MPII-2.8	destruction or customer retention)?	No	_
	Does the device allow personally identifiable		
	information records be stored in a separate location		
	from the device's operating system (i.e. secondary		
MPII-2.9	internal drive, alternate drive partition, or remote storage location)?	Yes	
IVIPII-2.9	Does the device have mechanisms used for the	res	
	transmitting, importing/exporting of personally		
MPII-3	identifiable information?	Yes	
	Does the device display personally identifiable		_
MPII-3.1	information (e.g., video display, etc.)?	Yes	_
	Does the device generate hardcopy reports or		
	images containing personally identifiable		
MPII-3.2	information?	No	_
	Does the device retrieve personally identifiable		
	information from or record personally identifiable		
	information to removable media (e.g., removable-		
	HDD, USB memory, DVD-R/RW,CD-R/RW, tape,		
MPII-3.3	CF/SD card, memory stick, etc.)?	No	_
	Does the device transmit/receive or import/export		
	personally identifiable information via dedicated		
MPII-3.4	cable connection (e.g., RS-232, RS-423, USB, FireWire, etc.)?	No	
IVIFII-3.4	Does the device transmit/receive personally	140	_
	identifiable information via a wired network		
MPII-3.5	connection (e.g., RJ45, fiber optic, etc.)?	No	
	Does the device transmit/receive personally		_
	identifiable information via a wireless network		
	connection (e.g., WiFi, Bluetooth, NFC, infrared,		
MPII-3.6	cellular, etc.)?	No	_
	Does the device transmit/receive personally		
	identifiable information over an external network		
MPII-3.7	(e.g., Internet)?	Yes	_
	Does the device import personally identifiable		
MPII-3.8	information via scanning a document?	No	
	5		
MARIL 2.0	Does the device transmit/receive personally	Nie	Utilize HL7 v2.5.1 standard from on-site interface
MPII-3.9	identifiable information via a proprietary protocol?  Does the device use any other mechanism to	No	engine to processing APIs within SaMD
	transmit, import or export personally identifiable		
MPII-3.10	information?	No	
Management of Priva			_
	AUTOMATIC LOGOFF (ALOF)		
	The device's ability to prevent access and misuse by		
	unauthorized users if device is left idle for a period of		
	time.		
	Can the device be configured to force		
	reauthorization of logged-in user(s) after a		
	predetermined length of inactivity (e.g., auto-logoff,		
ALOF-1	session lock, password protected screen saver)?	Yes	_
	Is the length of inactivity time before auto-		
	logoff/screen lock user or administrator		
ALOF-2	configurable?	Yes	_
	AUDIT CONTROLS (AUDT)		
	The ability to reliably audit activity on the device.		
	Complian modifical distriction of the control of th		
AUDT 4	Can the medical device create additional audit logs	Voc	
AUDT 1 1	or reports beyond standard operating system logs?	Yes	_
AUDT-1.1	Does the audit log record a USER ID?  Does other personally identifiable information exist	Yes	_
AUDT-1.2	in the audit trail?	No	
.1001 1.2	Are events recorded in an audit log? If yes, indicate		
	which of the following events are recorded in the		All application events and usage events, e.g. patient
AUDT-2	audit log:	Yes	record access
AUDT-2.1	Successful login/logout attempts?	Yes	
AUDT-2.2	Unsuccessful login/logout attempts?	Yes	
	- · ·		

Spacelabs Healthcare	96170	)	091-0427-00 Rev A
			User privileges are managed by customer access
AUDT-2.3	Modification of user privileges?	No	provider User privileges are managed by customer access
AUDT-2.4	Creation/modification/deletion of users? Presentation of clinical or PII data (e.g. display,	No	provider
AUDT-2.5	print)?	Yes	 Application does not allow user
AUDT-2.6	Creation/modification/deletion of data? Import/export of data from removable media (e.g.	No	creation/modification/deletion of data Application does not allow removable media
AUDT-2.7	USB drive, external hard drive, DVD)? Receipt/transmission of data or commands over a	No	connection
AUDT-2.8	network or point-to-point connection?	Yes	_
AUDT-2.8.1	Remote or on-site support?	Yes	Both, most support is remote access
	Application Programming Interface (API) and similar		
AUDT-2.8.2	activity?	Yes	_
AUDT-2.9	Emergency access?	N/A	_
AUDT-2.10	Other events (e.g., software updates)?	Yes	_
AUDT-2.11	Is the audit capability documented in more detail?	No	_
	Can the owner/operator define or select which		_
AUDT-3	events are recorded in the audit log?	No	
7.02.0	Is a list of data attributes that are captured in the		
AUDT-4	audit log for an event available?	No	
AUDT-4.1	Does the audit log record date/time?	Yes	_
A001 4.1	Can date and time be synchronized by Network Time	163	_
AUDT-4.1.1	Protocol (NTP) or equivalent time source?	Yes	
AUDT-5	Can audit log content be exported?	Yes	_
AUDT-5.1	Via physical media?	No	_
AUD1-3.1	Via IHE Audit Trail and Node Authentication (ATNA)	NO	_
AUDT-5.2	profile to SIEM?	No	
AUD1-3.2	Via Other communications (e.g., external service	NO	_
AUDT-5.3		No	
AUD1-3.3	device, mobile applications)?	NO	_
AUDT-5.4	Are audit logs encrypted in transit or on storage media?	Yes	
AUD1-3.4	Can audit logs be monitored/reviewed by	163	_
AUDT-6	owner/operator?	Yes	
AUDT-7	Are audit logs protected from modification?	Yes	_
AUDT-7.1	Are audit logs protected from access?	Yes	_
	• .	No	
AUDT-8	Can audit logs be analyzed by the device?	NO	_
	AUTHORIZATION (AUTH)		
	The ability of the device to determine the		
	authorization of users.		
	Does the device prevent access to unauthorized		
	users through user login requirements or other		
AUTH-1	mechanism?	Yes	_
	Can the device be configured to use federated		
	credentials management of users for authorization		
AUTH-1.1	(e.g., LDAP, OAuth)?	Yes	_
	Can the customer push group policies to the device		
AUTH-1.2	(e.g., Active Directory)?	No	_
	Are any special groups, organizational units, or group		
AUTH-1.3	policies required?	Yes	_
	Can users be assigned different privilege levels based		
	on 'role' (e.g., user, administrator, and/or service,		
AUTH-2	etc.)?	No	_
	Can the device owner/operator grant themselves		
	unrestricted administrative privileges (e.g., access		
	operating system or application via local root or		
AUTH-3	administrator account)?	Yes	
	Does the device authorize or control all API access		_
ΔΙΙΤΗ-Λ	requests?	Voc	

Yes

No

### CYBER SECURITY PRODUCT UPGRADES (CSUP)

Does the device run in a restricted access mode, or

requests?

'kiosk mode', by default?

AUTH-4

AUTH-5

The ability of on-site service staff, remote service staff, or authorized customer staff to install/upgrade device's security patches.

 Spacelabs Healthcare
 96170 \_\_\_\_\_
 091-0427-00 Rev A

	Does the device contain any software or firmware
	which may require security updates during its
	operational life, either from the device manufacturer
	or from a third-party manufacturer of the
00115	software/firmware? If no, answer "N/A" to
CSUP-1	questions in this section.
CCLID 2	Does the device contain an Operating System? If yes,
CSUP-2	complete 2.1-2.4.
	Does the device documentation provide instructions
CCLID 2.4	for owner/operator installation of patches or
CSUP-2.1	software updates?
	Does the device require year day according to the device
CCLID 2 2	Does the device require vendor or vendor-authorized
CSUP-2.2	service to install patches or software updates?
	Described design has a three contribute.
00110 0 5	Does the device have the capability to receive
CSUP-2.3	remote installation of patches or software updates?
	Does the medical device manufacturer allow security
	updates from any third-party manufacturers (e.g.,
	Microsoft) to be installed without approval from the
CSUP-2.4	manufacturer?
	Does the device contain Drivers and Firmware? If
CSUP-3	yes, complete 3.1-3.4.
	Does the device documentation provide instructions
	for owner/operator installation of patches or
CSUP-3.1	software updates?
	Does the device require vendor or vendor-authorized
CSUP-3.2	service to install patches or software updates?
	Does the device have the capability to receive
CSUP-3.3	remote installation of patches or software updates?
	Does the medical device manufacturer allow security
	updates from any third-party manufacturers (e.g.,
	Microsoft) to be installed without approval from the
CSUP-3.4	manufacturer?
CJUF - J.4	Does the device contain Anti-Malware Software? If
CSLID-4	
CSUP-4	yes, complete 4.1-4.4.
	Does the device documentation provide instructions
	for owner/operator installation of patches or
CSUP-4.1	software updates?
	Does the device require vendor or vendor-authorized
CSUP-4.2	service to install patches or software updates?
	Does the device have the capability to receive
CSUP-4.3	remote installation of patches or software updates?
	Does the medical device manufacturer allow security
	updates from any third-party manufacturers (e.g.,
	Microsoft) to be installed without approval from the
CSUP-4.4	manufacturer?
	Does the device contain Non-Operating System
	commercial off-the-shelf components? If yes,
CSUP-5	complete 5.1-5.4.
CJUF-J	
	Does the device documentation provide instructions
CCLID E 4	for owner/operator installation of patches or
CSUP-5.1	software updates?
	Provide do tra se de la companya de
	Does the device require vendor or vendor-authorized
CSUP-5.2	service to install patches or software updates?
	Does the device have the capability to receive
CSUP-5.3	remote installation of patches or software updates?
	Does the medical device manufacturer allow security
	updates from any third-party manufacturers (e.g.,
	Microsoft) to be installed without approval from the
CSUP-5.4	manufacturer?
	Does the device contain other software components
	(e.g., asset management software, license
	management)? If yes, please provide details or
CCLID 6	
CSUP-6	refernce in notes and complete 6.1-6.4.
	Does the device documentation provide instructions
	for owner/operator installation of patches or
00110 0 4	software updates?
CSUP-6.1	

Spacelabs Health	hcare 96170	091-0427-00 Rev A
CSUP-6.2	Does the device require vendor or vendor-authorized service to install patches or software updates?	d N/A
	Does the device have the capability to receive	
SUP-6.3	remote installation of patches or software updates?	N/A
	Does the medical device manufacturer allow security	
	updates from any third-party manufacturers (e.g.,	
SUP-6.4	Microsoft) to be installed without approval from the manufacturer?	N/A
	Does the manufacturer notify the customer when	
SUP-7	updates are approved for installation?	Yes
SUP-8	Does the device perform automatic installation of software updates?	No
.3UF-0	software updates:	
	Does the manufacturer have an approved list of third	d.
CSUP-9	party software that can be installed on the device?	Yes
	Can the owner/operator install manufacturer- approved third-party software on the device	
CSUP-10	themselves?	Yes
	Does the system have mechanism in place to prevent	t —
CSUP-10.1	installation of unapproved software?	Yes
CSUP-11	Does the manufacturer have a process in place to assess device vulnerabilities and updates?	Yes
5501 11	Does the manufacturer provide customers with	_
CSUP-11.1	review and approval status of updates?	Yes
CSUP-11.2	Is there an update review cycle for the device?	N/A
DIDT-1	Does the device provide an integral capability to de- identify personally identifiable information? Does the device support de-identification profiles that comply with the DICOM standard for de-	No
DIDT-1.1	identification?	No
	DATA BACKUP AND DISASTER RECOVERY (DTBK)	
	The ability to recover after damage or destruction of	
	device data, hardware, software, or site	
	configuration information.	
	Does the device maintain long term primary storage of personally identifiable information / patient	
OTBK-1	information (e.g. PACS)?	No
	Does the device have a "factory reset" function to	
	restore the original device settings as provided by	
OTBK-2	the manufacturer?  Does the device have an integral data backup	No
OTBK-3	capability to removable media?	No
	Does the device have an integral data backup	
OTBK-4	capability to remote storage?	No
	Does the device have a backup capability for system configuration information, patch restoration, and	
OTBK-5	software restoration?	Yes
	Does the device provide the capability to check the	
OTBK-6	integrity and authenticity of a backup?	Yes
	EMERGENCY ACCESS (EMRG)	
	The ability of the device user to access personally	
	identifiable information in case of a medical	
	emergency situation that requires immediate access	
	to stored personally identifiable information.  Does the device incorporate an emergency access	
EMRG-1	(i.e. "break-glass") feature?	No

EMRG-1

(i.e. "break-glass") feature?

Spacelabs Healthcare	96170		091-0427-00 Rev A
	HEALTH DATA INTEGRITY AND AUTHENTICITY (IGAU)		
	How the device ensures that the stored data on the		
	device has not been altered or destroyed in a non-		
	authorized manner and is from the originator.		
	Does the device provide data integrity checking		
	mechanisms of stored health data (e.g., hash or	V	
IGAU-1	digital signature)?  Does the device provide error/failure protection and	Yes	_
	recovery mechanisms for stored health data (e.g.,		
IGAU-2	RAID-5)?	Yes	_
	MALWARE DETECTION/PROTECTION (MLDP)		
	The ability of the device to effectively prevent, detect and remove malicious software (malware).		
	and remove mancious software (maiware).		
MLDP-1	Is the device capable of hosting executable software?	No	_
	Does the device support the use of anti-malware		
	software (or other anti-malware mechanism)?		
MLDP-2	Provide details or reference in notes.  Does the device include anti-malware software by	No	_
MLDP-2.1	default?	No	
	Does the device have anti-malware software		_
MLDP-2.2	available as an option?	No	_
	Does the device documentation allow the		
MIDD 2.2	owner/operator to install or update anti-malware software?	No	
MLDP-2.3	Can the device owner/operator independently (re-	NO	_
MLDP-2.4	)configure anti-malware settings?	No	_
	Does notification of malware detection occur in the		
MLDP-2.5	device user interface?	No	
MLDP-2.6	Can only manufacturer-authorized persons repair systems when malware has been detected?	Yes	
MLDP-2.7	Are malware notifications written to a log?	Yes	
	Are there any restrictions on anti-malware (e.g.,		
MLDP-2.8	purchase, installation, configuration, scheduling)?	No	
	If the answer to MLDP-2 is NO, and anti-malware		
MLDP-3	cannot be installed on the device, are other compensating controls in place or available?	Yes	
IVILDE-3	Does the device employ application whitelisting that	103	_
	restricts the software and services that are permitted		
MLDP-4	to be run on the device?	Yes	_
MUDDE	Does the device employ a host-based intrusion	Van	
MLDP-5	detection/prevention system?	Yes	_
	Can the host-based intrusion detection/prevention		
MLDP-5.1	system be configured by the customer?	No	_
	Can a host-based intrusion detection/prevention		
MLDP-5.2	system be installed by the customer?	No	_
	NODE AUTHENTICATION (NAUT)		
	The ability of the device to authenticate		
	communication partners/nodes.		
	Does the device provide/support any means of node		
	authentication that assures both the sender and the recipient of data are known to each other and are		
	authorized to receive transferred information (e.g.		
NAUT-1	Web APIs, SMTP, SNMP)?	Yes	_
	Are network access control mechanisms supported		
NAUT 2	(E.g., does the device have an internal firewall, or use	Vee	
NAUT-2	a network connection white list)? Is the firewall ruleset documented and available for	Yes	_
NAUT-2.1	review?	Yes	_
	Does the device use certificate-based network		
NAUT-3	connection authentication?	Yes	_

### **CONNECTIVITY CAPABILITIES (CONN)**

All network and removable media connections must be considered in determining appropriate security controls. This section lists connectivity capabilities that may be present on the device.

Spacelabs Healthcare	96170		091-0427-00 Rev A
	Does the device have hardware connectivity		
CONN-1	capabilities?	Yes	_
CONN-1.1	Does the device support wireless connections?	Yes	_
CONN-1.1.1	Does the device support Wi-Fi?	Yes	_
CONN-1.1.2	Does the device support Bluetooth?	No	_
	Does the device support other wireless network		
CONN-1.1.3	connectivity (e.g. LTE, Zigbee, proprietary)?	No	_
	Door the device support other wireless connections		
CONN-1.1.4	Does the device support other wireless connections (e.g., custom RF controls, wireless detectors)?	No	
CONN-1.1.4 CONN-1.2	Does the device support physical connections?	No	_
00 2.2	Does the device support physical commentations.		_
CONN-1.2.1	Does the device have available RJ45 Ethernet ports?	No	_
CONN-1.2.2	Does the device have available USB ports?	No	_
	Does the device require, use, or support removable		
CONN-1.2.3	memory devices?	No	_
CONN-1.2.4	Does the device support other physical connectivity?	No	_
	Does the manufacturer provide a list of network		
CONN 2	ports and protocols that are used or may be used on the device?	Yes	
CONN-2	Can the device communicate with other systems	res	_
CONN-3	within the customer environment?	Yes	Via HL7 interface engine messages
30 3	Can the device communicate with other systems		
	external to the customer environment (e.g., a service		
CONN-4	host)?	No	_
CONN-5	Does the device make or receive API calls?	Yes	_
	Does the device require an internet connection for		
CONN-6	its intended use?	Yes	_
	Does the device support Transport Layer Security		
CONN-7	(TLS)?	Yes	_
CONN-7.1	Is TLS configurable?	No	
	Does the device provide operator control functionality from a separate device (e.g.,		
CONN-8	telemedicine)?	No	
	DEDOCAL ALITHERITION TON (DALIT)		
	PERSON AUTHENTICATION (PAUT)  The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and		
	The ability to configure the device to authenticate users.		
PAUT-1	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and	Yes	_
PAUT-1	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service	Yes	_
PAUT-1	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?	Yes	_
PAUT-1 PAUT-1.1	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?	Yes	
	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users		_
PAUT-1.1	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS	Yes	_
	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?		
PAUT-1.1 PAUT-2	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a	Yes Yes	
PAUT-1.1	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?	Yes	
PAUT-1.1 PAUT-2	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a	Yes Yes	
PAUT-1.1 PAUT-2	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service	Yes Yes	
PAUT-1.1 PAUT-2 PAUT-3	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the	Yes Yes Yes	
PAUT-1.1 PAUT-2 PAUT-3 PAUT-4	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user	Yes Yes Yes	
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established	Yes Yes Yes No Yes	— — — — — — Device only uses customers external authentication
PAUT-1.1 PAUT-2 PAUT-3 PAUT-4	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?	Yes Yes Yes	service.
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5  PAUT-6	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?  Does the device support account passwords that	Yes Yes Yes No Yes N/A	service.  Device only uses customers external authentication
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?	Yes Yes Yes No Yes	service.  Device only uses customers external authentication service.
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5  PAUT-6  PAUT-7	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?  Does the device support account passwords that expire periodically?	Yes Yes Yes No Yes N/A N/A	service.  Device only uses customers external authentication service.  Device only uses customers external authentication
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5  PAUT-6  PAUT-7  PAUT-8	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?  Does the device support account passwords that expire periodically?	Yes Yes Yes No Yes N/A N/A	service.  Device only uses customers external authentication service.
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5  PAUT-6  PAUT-7	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?  Does the device support account passwords that expire periodically?	Yes Yes Yes No Yes No Yes N/A N/A N/A	service.  Device only uses customers external authentication service.  Device only uses customers external authentication
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5  PAUT-6  PAUT-7  PAUT-8	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?  Does the device support account passwords that expire periodically?	Yes  Yes  Yes  No Yes  N/A  N/A  N/A  Yes	service.  Device only uses customers external authentication service.  Device only uses customers external authentication
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5  PAUT-6  PAUT-7  PAUT-8  PAUT-9	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?  Does the device support account passwords that expire periodically?  Does the device support multi-factor authentication?  Does the device support single sign-on (SSO)?	Yes  Yes  Yes  No Yes  N/A  N/A  N/A  Yes	service.  Device only uses customers external authentication service.  Device only uses customers external authentication
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5  PAUT-6  PAUT-7  PAUT-8  PAUT-9  PAUT-10  PAUT-11	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?  Does the device support account passwords that expire periodically?  Does the device support multi-factor authentication?  Does the device support single sign-on (SSO)?  Can user accounts be disabled/locked on the device?  Does the device support biometric controls?  Does the device support physical tokens (e.g. badge	Yes  Yes  Yes  No Yes  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	service.  Device only uses customers external authentication service.  Device only uses customers external authentication
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5  PAUT-6  PAUT-7  PAUT-8  PAUT-9  PAUT-10	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?  Does the device support account passwords that expire periodically?  Does the device support multi-factor authentication?  Does the device support single sign-on (SSO)?  Can user accounts be disabled/locked on the device?  Does the device support biometric controls?  Does the device support physical tokens (e.g. badge access)?	Yes  Yes  Yes  No Yes  N/A  N/A  N/A  Yes  N/A	service.  Device only uses customers external authentication service.  Device only uses customers external authentication
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5  PAUT-6  PAUT-7  PAUT-8  PAUT-9  PAUT-10  PAUT-11  PAUT-12	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?  Does the device support account passwords that expire periodically?  Does the device support multi-factor authentication?  Does the device support single sign-on (SSO)?  Can user accounts be disabled/locked on the device?  Does the device support biometric controls?  Does the device support physical tokens (e.g. badge access)?  Does the device support group authentication (e.g.	Yes  Yes  Yes  No Yes  N/A  N/A  N/A  N/A  N/A  N/A  NO  No	service.  Device only uses customers external authentication service.  Device only uses customers external authentication
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5  PAUT-6  PAUT-7  PAUT-8  PAUT-9  PAUT-10  PAUT-11	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?  Does the device support account passwords that expire periodically?  Does the device support multi-factor authentication?  Does the device support biometric controls?  Does the device support biometric controls?  Does the device support physical tokens (e.g. badge access)?  Does the device support group authentication (e.g. hospital teams)?	Yes  Yes  Yes  No Yes  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	service.  Device only uses customers external authentication service.  Device only uses customers external authentication
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5  PAUT-6  PAUT-7  PAUT-8  PAUT-9  PAUT-10  PAUT-11  PAUT-12  PAUT-13	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?  Does the device support account passwords that expire periodically?  Does the device support single sign-on (SSO)?  Can user accounts be disabled/locked on the device?  Does the device support physical tokens (e.g. badge access)?  Does the device support group authentication (e.g. hospital teams)?  Does the application or device store or manage	Yes  Yes  Yes  No Yes  N/A  N/A  N/A  N/A  N/A  N/A  NO  NO  No	service.  Device only uses customers external authentication service.  Device only uses customers external authentication
PAUT-1.1  PAUT-2  PAUT-3  PAUT-4  PAUT-5  PAUT-6  PAUT-7  PAUT-8  PAUT-9  PAUT-10  PAUT-11  PAUT-12	The ability to configure the device to authenticate users.  Does the device support and enforce unique IDs and passwords for all users and roles (including service accounts)?  Does the device enforce authentication of unique IDs and passwords for all users and roles (including service accounts)?  Is the device configurable to authenticate users through an external authentication service (e.g., MS Active Directory, NDS, LDAP, OAuth, etc.)?  Is the device configurable to lock out a user after a certain number of unsuccessful logon attempts?  Are all default accounts (e.g., technician service accounts, administrator accounts) listed in the documentation?  Can all passwords be changed?  Is the device configurable to enforce creation of user account passwords that meet established (organization specific) complexity rules?  Does the device support account passwords that expire periodically?  Does the device support multi-factor authentication?  Does the device support biometric controls?  Does the device support biometric controls?  Does the device support physical tokens (e.g. badge access)?  Does the device support group authentication (e.g. hospital teams)?	Yes  Yes  Yes  No Yes  N/A  N/A  N/A  N/A  N/A  N/A  NO  No	service.  Device only uses customers external authentication service.  Device only uses customers external authentication

Spacelabs Healthcare	96170		091-0427-00 Rev A
	PHYSICAL LOCKS (PLOK)  Physical locks can prevent unauthorized users with physical access to the device from compromising the integrity and confidentiality of personally identifiable information stored on the device or on removable media		
PLOK-1	Is the device software only? If yes, answer "N/A" to remaining questions in this section.  Are all device components maintaining personally identifiable information (other than removable	Yes	_
PLOK-2	media) physically secure (i.e., cannot remove without tools)?  Are all device components maintaining personally identifiable information (other than removable media) physically secured behind an individually.	N/A	_
PLOK-3	media) physically secured behind an individually keyed locking device?  Does the device have an option for the customer to attach a physical lock to restrict access to removable	N/A	_
PLOK-4	media?	N/A	_
	ROADMAP FOR THIRD PARTY COMPONENTS IN DEVICE LIFE CYCLE (RDMP)  Manufacturer's plans for security support of third-party components within the device's life cycle.  Was a secure software development process, such as		
RDMP-1	ISO/IEC 27034 or IEC 62304, followed during product development?  Does the manufacturer evaluate third-party applications and software components included in	Yes	_
RDMP-2	the device for secure development practices?  Does the manufacturer maintain a web page or other source of information on software support	Yes	_
RDMP-3	dates and updates?  Does the manufacturer have a plan for managing third-party component end-of-life?	Yes	_
	SOFTWARE BILL OF MATERIALS (SBoM) A Software Bill of Material (SBoM) lists all the		
	software components that are incorporated into the device being described for the purpose of operational security planning by the healthcare delivery organization. This section supports controls in the RDMP section.		
SBOM-1 SBOM-2	Is the SBoM for this product available?  Does the SBoM follow a standard or common method in describing software components?	No N/A	_
SBOM-2.1 SBOM-2.2	Are the software components identified?  Are the developers/manufacturers of the software components identified?	N/A N/A	_
SBOM-2.3 SBOM-2.4	Are the major version numbers of the software components identified?  Are any additional descriptive elements identified?  Does the device include a command or process	Yes No	_ _
SBOM-3 SBOM-4	method available to generate a list of software components installed on the device? Is there an update process for the SBoM?	No N/A	Ξ
	SYSTEM AND APPLICATION HARDENING (SAHD) The device's inherent resistance to cyber attacks and malware.		
SAHD-1	Is the device hardened in accordance with any industry standards?	Yes	SOC2 Type 2, as well Product hosted in GCP that ahs the following certifications: FIPS Standards, ISO 9001, 27001, 27017, 27018 Certifications, SOC 1, SOC 2, SOC 3 Certifications,
SAHD-2	Has the device received any cybersecurity certifications?	Yes	HITRUST Certification, HIPAA Compliant Standards.

Spacelabs Healthcare	96170		091-0427-00 Rev A
	Does the device employ any mechanisms for		
SAHD-3	software integrity checking	Yes	_
	Does the device employ any mechanism (e.g., release		
	specific hash key, checksums, digital signature, etc.)		
SAHD-3.1	to ensure the installed software is manufacturer- authorized?	Yes	
3A11D-3.1	Does the device employ any mechanism (e.g., release		_
	specific hash key, checksums, digital signature, etc.)		
	to ensure the software updates are the		
SAHD-3.2	manufacturer-authorized updates?	Yes	_
	Can the owner/operator perform software integrity		
CALID 4	checks (i.e., verify that the system has not been	Vos	
SAHD-4	modified or tampered with)? Is the system configurable to allow the	Yes	_
	implementation of file-level, patient level, or other		
SAHD-5	types of access controls?	No	_
SAHD-5.1	Does the device provide role-based access controls?	No	_
CALID	Are any system or user accounts restricted or	Vos	
SAHD-6	disabled by the manufacturer at system delivery?  Are any system or user accounts configurable by the	Yes	_
SAHD-6.1	end user after initial configuration?	Yes	
	Does this include restricting certain system or user		
	accounts, such as service technicians, to least		
SAHD-6.2	privileged access?	Yes	_
	Are all shared resources (e.g., file shares) which are		
SAHD-7	not required for the intended use of the device disabled?	Yes	
JAHD-7	Are all communication ports and protocols that are	163	_
	not required for the intended use of the device		
SAHD-8	disabled?	Yes	_
	Are all services (e.g., telnet, file transfer protocol		
	[FTP], internet information server [IIS], etc.), which		
CALID O	are not required for the intended use of the device	Vos	
SAHD-9	deleted/disabled?  Are all applications (COTS applications as well as OS-	Yes	_
	included applications, e.g., MS Internet Explorer,		
	etc.) which are not required for the intended use of		
SAHD-10	the device deleted/disabled?	Yes	_
	Can the device prohibit boot from uncontrolled or		
CALID 44	removable media (i.e., a source other than an	N1/A	
SAHD-11	internal drive or memory component)?	N/A	_
	Can unauthorized software or hardware be installed		
SAHD-12	on the device without the use of physical tools?	N/A	_
	Does the product documentation include		
	information on operational network security		
SAHD-13	scanning by users?	No	_
SAHD-14	Can the device be hardened beyond the default provided state?	No	
JAHD-14	Are instructions available from vendor for increased	No	_
SAHD-14.1	hardening?	No	
	Can the system prevent access to BIOS or other		
SHAD-15	bootloaders during boot?	N/A	
0.115.46	Have additional hardening methods not included in	N.	
SAHD-16	2.3.19 been used to harden the device?	No	_
	SECURITY GUIDANCE (SGUD)		
	Availability of security guidance for operator and		
	administrator of the device and manufacturer sales		
	and service.		
	Does the device include security documentation for		
SGUD-1	the owner/operator?	Yes	_
	Does the device have the capability, and provide		
SGUD-2	instructions, for the permanent deletion of data from the device or media?	No	
300D-Z	are device of media:	110	_
SGUD-3	Are all access accounts documented?	Yes	_
	Can the owner/operator manage password control		
SGUD-3.1	for all accounts?	Yes	_
	Does the product include documentation on		
SCHD-4	recommended compensating controls for the device?	Yes	
SGUD-4	ucvice:	163	_

 Spacelabs Healthcare
 96170 \_\_\_\_\_
 091-0427-00 Rev A

# HEALTH DATA STORAGE CONFIDENTIALITY (STCF)

The ability of the device to ensure unauthorized access does not compromise the integrity and

confidentiality of personally identifiable information stored on the device or removable media. STCF-1 Can the device encrypt data at rest? STCF-1.1 Is all data encrypted or otherwise protected? Yes Is the data encryption capability configured by STCF-1.2 default? Yes Are instructions available to the customer to STCF-1.3 configure encryption? No STCF-2 Can the encryption keys be changed or configured? Yes Is the data stored in a database located on the STCF-3 device? No Is the data stored in a database external to the

Yes

#### TRANSMISSION CONFIDENTIALITY (TXCF)

The ability of the device to ensure the confidentiality

device?

STCF-4

TXCF-1

TXCF-2

TXCF-2.1

TXCF-3

TXCF-4

TXCF-5

TXIG-1

TXIG-2

of transmitted personally identifiable information.

Can personally identifiable information be transmitted only via a point-to-point dedicated cable?

Is personally identifiable information encrypted prior to transmission via a network or removable media? If data is not encrypted by default, can the customer configure encryption options?

Is personally identifiable information transmission restricted to a fixed list of network destinations? Are connections limited to authenticated systems?

Are secure transmission methods

### TRANSMISSION INTEGRITY (TXIG)

transmitted data.

Does the device support any mechanism (e.g., digital signatures) intended to ensure data is not modified

The ability of the device to ensure the integrity of

supported/implemented (DICOM, HL7, IEEE 11073)? Yes

signatures) intended to ensure data is not modified during transmission?

Does the device include multiple sub-components connected by external cables?

Yes	_
No	_

	REMOTE SERVICE (RMOT)	
	Remote service refers to all kinds of device	
	maintenance activities performed by a service	
	person via network or other remote connection.	
	Does the device permit remote service connections	
RMOT-1	for device analysis or repair?	Yes
	Does the device allow the owner/operator to	
	initiative remote service sessions for device analysis	
RMOT-1.1	or repair?	No
	Is there an indicator for an enabled and active	
RMOT-1.2	remote session?	No
	Can patient data be accessed or viewed from the	
RMOT-1.3	device during the remote session?	Yes
	Does the device permit or use remote service	
RMOT-2	connections for predictive maintenance data?	No
	Does the device have any other remotely accessible	
	functionality (e.g. software updates, remote	
RMOT-3	training)?	Yes

 Spacelabs Healthcare
 96170 \_\_\_\_\_
 091-0427-00 Rev A

OTHER SECURITY CONSIDERATIONS (OTHR)

NONE

Notes:

Example note. Please keep individual notes to one cell. Please use separate notes for separate

Note 1 information