

# Electrocardiography


**AAMI COLOR CODING**



ECG Combiner Lead Wires & Cables

ECG COMBINER LEAD WIRE SYSTEM  
AAMI Color Coded

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and single patient multiple use lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

ECG Combiner Lead Wire Sets - requires ECG Combiner Cable or Adapter



Disposable, DIN Shielded, Pinch, AAMI					
700-0006-50	3-Lead	Pinch	127cm /50 in	25 Sets	
* 700-0006-32	5 Lead	Pinch	127cm /50 in	25 Sets	
* 700-0006-33	5 Lead (V-Lead)	Pinch	127cm /50 in	25 Sets	



Disposable, DIN Shielded, Snap, AAMI					
700-0006-61	5 Lead	Snap	127cm /50 in	25 Sets	



Reusable, DIN Shielded, Pinch, AAMI					
* 700-0006-35	3 Lead	Pinch	74cm /29 in	1 Set	
* 700-0006-37	5 Lead	Pinch	74cm /29 in	1 Set	
* 700-0006-38	5 Lead (V-Lead)	Pinch	74cm /29 in	1 Set	
700-0010-00	3 Lead	Pinch	130cm/51 in	1 Set	
* 700-0010-01	5 Lead	Pinch	130cm/51 in	1 Set	
700-0010-02	5 Lead (V-Lead)	Pinch	130cm/51 in	1 Set	



Reusable, DIN Shielded, Snap, AAMI					
* 700-0007-35	3 Lead	Snap	74cm /29 in	1 Set	
* 700-0007-37	5 Lead	Snap	74cm /29 in	1 Set	
700-0010-19	5-Lead	Snap	130cm /51 in	1 Set	

\* Product not available for sale into CE Mark Countries (EU)

ECG Combiner Radiolucent Lead Wire Sets - requires ECG Combiner Cable or Adapter




Radiolucent, Reusable, DIN Unshielded, Pinch, AAMI					
700-0010-06	5 Lead, Radiolucent	Pinch	122cm/48 in	1 Set	
700-0010-08	5 Lead, Radiolucent	Pinch	183cm/72 in	1 Set	

ECG Combiner Lead Wires & Cables

ECG COMBINER LEAD WIRE SYSTEM  
AAMI Color Coded

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and single patient multiple use lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

ECG Combiner Cables



Spacelabs Connect Hardwired Cables for use with Spacelabs command module 90496/91496				
* 700-0008-55	3 Lead	Spacelabs	305 cm/10 ft	1 Cable
* 700-0008-57	5 Lead	Spacelabs	305 cm/10 ft	1 Cable
700-0008-32	5 Lead	Spacelabs	457 cm/15 ft	1 Cable
* 700-0008-56	10 Lead (5+5)	Spacelabs	305 cm/10 ft	1 Cable
* Product not available for sale into CE Mark Countries (EU)				

ECG Combiner Adapters



Spacelabs Telemetry, AAMI			
700-0008-80	5 Lead	Ultraview Telemetry (9034X/ 9134X)	1 Adapter
700-0008-88	5 Lead	Aria Telemetry (96281)	1 Adapter

ECG Combiner Cables for Standardization




Other manufacturers				
700-0008-37	5 Lead	GE	305 cm/10 ft	1 Cable
700-0008-48	10 Lead (5+5)	Philips	305 cm/10 ft	1 Cable
700-0008-49	5 Lead	Philips	305 cm/10 ft	1 Cable
Indicates discontinued part, available while supplies last				

# ECG LEAD WIRES & CABLES

## AAMI Color Coded - Shielded

### ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

### ECG Lead Wire Sets, Shielded, Reusable, AAMI



Snap

#### Snap Sets

700-0007-00	3 Lead, Shielded	61 cm/24 in	1 Set
700-0007-02	3 Lead, Shielded	102 cm/40 in	1 Set
700-0007-08	5 Lead, Shielded	61 cm/24 in	1 Set
700-0007-10	5 Lead, Shielded	102 cm/40 in	1 Set
700-0007-16	10 Lead, limb/chest, Shielded	61 cm/24 in	1 Set
700-0007-18	10 Lead, limb/chest, Shielded	102 cm/40 in	1 Set

#### Pinch Sets

700-0006-00	3 Lead, Shielded	61 cm/24 in	1 Set
700-0006-02	3 Lead, Shielded	102 cm/40 in	1 Set
700-0006-08	5 Lead, Shielded	61 cm/24 in	1 Set
700-0006-10	5 Lead, Shielded	102 cm/40 in	1 Set
700-0006-16	10 Lead, limb/chest, Shielded	61 cm/24 in	1 Set



Pinch

### ECG Lead Wires, Individual Colors, Shielded, Reusable, AAMI

#### 24" Snap Individual Color

012-0498-00	Red	61 cm/24 in	3/Pack
012-0498-04	Black	61 cm/24 in	3/Pack
012-0498-34	Black	61 cm/24 in	5/Pack
012-0498-05	Brown	61 cm/24 in	3/Pack
012-0498-03	White	61 cm/24 in	3/Pack
012-0498-01	Green	61 cm/24 in	3/Pack
012-0498-06	Red	102 cm/40 in	3/Pack
012-0498-09	Black	102 cm/40 in	3/Pack
012-0498-27	Brown	102 cm/40 in	3/Pack
012-0498-08	White	102 cm/40 in	3/Pack
012-0498-07	Green	102 cm/40 in	3/Pack




Indicates discontinued part, available while supplies last

# ECG LEAD WIRES & CABLES

## AAMI Color Coded - Shielded

### ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

### ECG Cables, Shielded, AAMI



#### Spacelabs Connect Hardwired Cables for use with Spacelabs command module 90496/91496

700-0008-08	3 Lead, Shielded	305 cm/10 ft	1 Cable
700-0008-06	5 Lead, Shielded	305 cm/10 ft	1 Cable
700-0008-00	10 Lead, Shielded	305 cm/10 ft	1 Cable

### ECG Accessories



#### Electrodes

717-0083-00	Electrode, Transparent Tape, 5 per pouch X 10 pouches	Adult	50/Box
-------------	-------------------------------------------------------	-------	--------

### Neonatal ECG Supplies & Accessories



#### DIN Unshielded, Neonatal ECG Cable

700-0008-12	3 Lead	Neonatal	1 Cable
-------------	--------	----------	---------

#### DIN Unshielded, Neonatal Electrodes.

717-0080-00	Pre-wired neonatal electrodes, Pre-gelled, silver/silver chloride, single use	3-Lead	100 Sets/Box
-------------	-------------------------------------------------------------------------------------	--------	-----------------

# DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.

# ECG LEAD WIRES & TELEMETRY AAMI Color Coded - DIN Unshielded



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

## ECG Lead Wire Sets, DIN Unshielded, Reusable, AAMI



Snap Sets			
015-0732-00	3 Lead	90 cm/35 in	1 Set
015-0736-00	5 Lead	90 cm/35 in	1 Set



Pinch Sets			
015-0731-00	3 Lead	90 cm/35 in	1 Set
015-0734-00	5 Lead	90 cm/35 in	1 Set

**Bold font indicates a new part number**  
**Indicates discontinued part, available while supplies last**

## ECG Lead Wires, Individual Colors, DIN Unshielded, Reusable, AAMI



Snap Individual Color			
012-0295-06	Red	61 cm/24 in	3/Pack

## Telemetry Transmitter Adapters



For use with ECG Combiner Lead Wires		
700-0008-88	Aria Telemetry Combiner Adapter (96281)	1 Adapter



For use with DIN Unshielded Lead Wires		
706-0191-00	Aria Telemetry Grouper (96281)	5/Bag

## DIN Unshielded Leadwire & Telemetry




TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.

## ECG LEAD WIRES & TELEMETRY AAMI Color Coded - DIN Unshielded



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

### Telemetry Accessories

  	Protective Solutions and Electrodes			
	010-2350-00	Aria Tele Bumper		5/Box
	015-0500-02	Ultraview Telemetry pouch (90347)		100/Box
	717-0083-00	Electrode, Transparent Tape, 5 per pouch X 10 Pouches	Adult	50/Box

DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.

ECG LEAD WIRES & TELEMETRY  
AAMI Color Coded - DIN Unshielded



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

SpO<sub>2</sub> Cable & Sensors

**Note: Only the below genuine Spacelabs and Nellcor branded SpO<sub>2</sub> sensors are compatible with Spacelabs Telemetry systems**

**SpO<sub>2</sub> Cable**



700-0014-00	TruLink SpO2 Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO2 sensors	60 cm/24 in	1 Cable
-------------	------------------------------------------------------------------------------------------------------------------------------------------	-------------	---------

**Reusable SpO<sub>2</sub> Sensors**



015-0660-00	TruLink SpO <sub>2</sub> finger sensor	Adult >30 kg/66 lbs.	1 Each
690-0003-01	Nellcor DS-100A, finger SpO2 sensor <i>Available for sale with monitor purchase</i>	Adult >30 kg/66 lbs.	1 Each

**Disposable SpO<sub>2</sub> Sensors**



015-0662-00	TruLink SpO <sub>2</sub> foam sensor	Adult > 30 kg/66 lbs.	24/Box
015-0663-00	TruLink SpO <sub>2</sub> vinyl sensor	Adult >30 kg/66 lbs.	24/Box
015-0664-00	TruLink SpO <sub>2</sub> foam sensor	Pediatric 10-50 kg/ 22-110 lbs.	24/Box
015-0665-00	TruLink SpO <sub>2</sub> vinyl sensor	Pediatric 10-50 kg/ 22-110 lbs.	24/Box
015-0667-00	TruLink SpO <sub>2</sub> cloth sensor	Neonatal <3 kg/7 lbs.	24/Box

Indicates discontinued part, available while supplies last