

Electrocardiography


AAMI COLOR CODING



ECG Combiner Lead Wires & Cables

ECG COMBINER LEAD WIRE SYSTEM AAMI Color Coded

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and single patient multiple use lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



| Order Code | Description | Length | Qty |
|------------|-------------|--------|-----|
|------------|-------------|--------|-----|

ECG Combiner Lead Wire Sets - requires ECG Combiner Cable or Adapter



| Disposable, DIN Shielded, Pinch, AAMI | | | | |
|---------------------------------------|-----------------|-------|--------------|---------|
| 700-0006-50 | 3-Lead | Pinch | 127cm /50 in | 25 Sets |
| * 700-0006-32 | 5 Lead | Pinch | 127cm /50 in | 25 Sets |
| * 700-0006-33 | 5 Lead (V-Lead) | Pinch | 127cm /50 in | 25 Sets |



| Disposable, DIN Shielded, Snap, AAMI | | | | |
|--------------------------------------|--------|------|--------------|---------|
| 700-0006-61 | 5 Lead | Snap | 127cm /50 in | 25 Sets |



| Reusable, DIN Shielded, Pinch, AAMI | | | | |
|-------------------------------------|-----------------|-------|-------------|-------|
| * 700-0006-35 | 3 Lead | Pinch | 74cm /29 in | 1 Set |
| * 700-0006-37 | 5 Lead | Pinch | 74cm /29 in | 1 Set |
| * 700-0006-38 | 5 Lead (V-Lead) | Pinch | 74cm /29 in | 1 Set |
| 700-0010-00 | 3 Lead | Pinch | 130cm/51 in | 1 Set |
| * 700-0010-01 | 5 Lead | Pinch | 130cm/51 in | 1 Set |
| 700-0010-02 | 5 Lead (V-Lead) | Pinch | 130cm/51 in | 1 Set |



| Reusable, DIN Shielded, Snap, AAMI | | | | |
|------------------------------------|--------|------|--------------|-------|
| * 700-0007-35 | 3 Lead | Snap | 74cm /29 in | 1 Set |
| * 700-0007-37 | 5 Lead | Snap | 74cm /29 in | 1 Set |
| 700-0010-19 | 5-Lead | Snap | 130cm /51 in | 1 Set |

* Product not available for sale into CE Mark Countries (EU)

ECG Combiner Radiolucent Lead Wire Sets - requires ECG Combiner Cable or Adapter




| Radiolucent, Reusable, DIN Unshielded, Pinch, AAMI | | | | |
|--|---------------------|-------|-------------|-------|
| 700-0010-06 | 5 Lead, Radiolucent | Pinch | 122cm/48 in | 1 Set |
| 700-0010-08 | 5 Lead, Radiolucent | Pinch | 183cm/72 in | 1 Set |

ECG Combiner Lead Wires & Cables

ECG COMBINER LEAD WIRE SYSTEM AAMI Color Coded

Our ECG Combiner System of lead wires, cables and adapters allows you to standardize ECG supplies across monitoring brands. The system features a universal connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry, and single patient multiple use lead wire options. System is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



| Order Code | Description | Length | Qty |
|------------|-------------|--------|-----|
|------------|-------------|--------|-----|

ECG Combiner Cables



| Spacelabs Connect Hardwired Cables for use with Spacelabs command module 90496/91496 | | | | | |
|--|---------------|-----------|--------------|---------|--|
| * 700-0008-55 | 3 Lead | Spacelabs | 305 cm/10 ft | 1 Cable | |
| * 700-0008-57 | 5 Lead | Spacelabs | 305 cm/10 ft | 1 Cable | |
| 700-0008-32 | 5 Lead | Spacelabs | 457 cm/15 ft | 1 Cable | |
| * 700-0008-56 | 10 Lead (5+5) | Spacelabs | 305 cm/10 ft | 1 Cable | |

* Product not available for sale into CE Mark Countries (EU)

ECG Combiner Adapters



| Spacelabs Telemetry, AAMI | | | | | |
|---------------------------|--------|------------------------------------|--|-----------|--|
| 700-0008-80 | 5 Lead | Ultraview Telemetry (9034X/ 9134X) | | 1 Adapter | |
| 700-0008-88 | 5 Lead | Aria Telemetry (96281) | | 1 Adapter | |

ECG Combiner Cables for Standardization




| Other manufacturers | | | | | |
|---------------------|--------|---------|--------------|---------|--|
| 700-0008-37 | 5 Lead | GE | 305 cm/10 ft | 1 Cable | |
| 700-0008-49 | 5 Lead | Philips | 305 cm/10 ft | 1 Cable | |

Indicates discontinued part, available while supplies last

ECG LEAD WIRES & CABLES AAMI Color Coded - Shielded

ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



Order Code Description Length/Size Qty

ECG Lead Wire Sets, Shielded, Reusable, AAMI



Snap

Snap Sets

| Order Code | Description | Length/Size | Qty |
|-------------|-------------------------------|--------------|-------|
| 700-0007-00 | 3 Lead, Shielded | 61 cm/24 in | 1 Set |
| 700-0007-02 | 3 Lead, Shielded | 102 cm/40 in | 1 Set |
| 700-0007-08 | 5 Lead, Shielded | 61 cm/24 in | 1 Set |
| 700-0007-10 | 5 Lead, Shielded | 102 cm/40 in | 1 Set |
| 700-0007-16 | 10 Lead, limb/chest, Shielded | 61 cm/24 in | 1 Set |
| 700-0007-18 | 10 Lead, limb/chest, Shielded | 102 cm/40 in | 1 Set |



Pinch

Pinch Sets

| Order Code | Description | Length/Size | Qty |
|-------------|-------------------------------|--------------|-------|
| 700-0006-00 | 3 Lead, Shielded | 61 cm/24 in | 1 Set |
| 700-0006-02 | 3 Lead, Shielded | 102 cm/40 in | 1 Set |
| 700-0006-08 | 5 Lead, Shielded | 61 cm/24 in | 1 Set |
| 700-0006-10 | 5 Lead, Shielded | 102 cm/40 in | 1 Set |
| 700-0006-16 | 10 Lead, limb/chest, Shielded | 61 cm/24 in | 1 Set |

ECG Lead Wires, Individual Colors, Shielded, Reusable, AAMI



24" Snap Individual Color


| Order Code | Description | Length/Size | Qty |
|--------------------|--------------|--------------------|---------------|
| 012-0498-00 | Red | 61 cm/24 in | 3/Pack |
| 012-0498-04 | Black | 61 cm/24 in | 3/Pack |
| 012-0498-34 | Black | 61 cm/24 in | 5/Pack |
| 012-0498-05 | Brown | 61 cm/24 in | 3/Pack |
| 012-0498-03 | White | 61 cm/24 in | 3/Pack |
| 012-0498-01 | Green | 61 cm/24 in | 3/Pack |
| 012-0498-06 | Red | 102 cm/40 in | 3/Pack |
| 012-0498-09 | Black | 102 cm/40 in | 3/Pack |
| 012-0498-27 | Brown | 102 cm/40 in | 3/Pack |
| 012-0498-08 | White | 102 cm/40 in | 3/Pack |
| 012-0498-07 | Green | 102 cm/40 in | 3/Pack |

Indicates discontinued part, available while supplies last

ECG LEAD WIRES & CABLES AAMI Color Coded - Shielded

ECG Lead Wire & Cables - Shielded

TruLink ECG lead wires are designed and validated for use with Spacelabs monitoring systems. Ten foot reusable monitor cables are available in 3, 5, or 10 lead configurations. The reusable shielded TruLink lead wires feature individual color-coded leads with a 2-prong connection into the monitor cable. They are available in a variety of lengths with either a snap or pinch electrode interface. For use with Spacelabs command modules 90496/91496.



| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

ECG Cables, Shielded, AAMI




| Spacelabs Connect Hardwired Cables for use with Spacelabs command module 90496/91496 | | | |
|--|-------------------|--------------|---------|
| 700-0008-08 | 3 Lead, Shielded | 305 cm/10 ft | 1 Cable |
| 700-0008-06 | 5 Lead, Shielded | 305 cm/10 ft | 1 Cable |
| 700-0008-00 | 10 Lead, Shielded | 305 cm/10 ft | 1 Cable |

ECG Accessories



| Electrodes | | | |
|-------------|---|-------|--------|
| 717-0083-00 | Electrode, Transparent Tape, 5 per pouch X 10 pouches | Adult | 50/Box |

Neonatal ECG Supplies & Accessories




| DIN Unshielded, Neonatal ECG Cable | | | |
|--------------------------------------|---|----------|--------------|
| 700-0008-12 | 3 Lead | Neonatal | 1 Cable |
| DIN Unshielded, Neonatal Electrodes. | | | |
| 717-0080-00 | Pre-wired neonatal electrodes, Pre-gelled, silver/silver chloride, single use | 3-Lead | 100 Sets/Box |

DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.

ECG LEAD WIRES & TELEMETRY AAMI Color Coded - DIN Unshielded



| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

ECG Lead Wire Sets, DIN Unshielded, Reusable, AAMI



Snap Sets

| | | | |
|-------------|--------|-------------|-------|
| 015-0732-00 | 3 Lead | 90 cm/35 in | 1 Set |
| 015-0736-00 | 5 Lead | 90 cm/35 in | 1 Set |



Pinch Sets

| | | | |
|-------------|--------|-------------|-------|
| 015-0731-00 | 3 Lead | 90 cm/35 in | 1 Set |
| 015-0734-00 | 5 Lead | 90 cm/35 in | 1 Set |

Bold font indicates a new part number

Telemetry Transmitter Adapters



For use with DIN Unshielded Lead Wires

| | | |
|-------------|--------------------------------|-------|
| 706-0191-00 | Aria Telemetry Grouper (96281) | 5/Bag |
|-------------|--------------------------------|-------|

DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.

ECG LEAD WIRES & TELEMETRY AAMI Color Coded - DIN Unshielded



| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

Telemetry Accessories




| Protective Solutions and Electrodes | | | |
|-------------------------------------|---|-------|---------|
| 010-2350-00 | Aria Tele Bumper | | 5/Box |
| 015-0500-02 | Ultraview Telemetry pouch (90347) | | 100/Box |
| 717-0083-00 | Electrode, Transparent Tape, 5 per pouch X 10 Pouches | Adult | 50/Box |

DIN Unshielded Leadwire & Telemetry

TruLink ECG Din unshielded reusable lead wires are validated for use with Spacelabs telemetry systems. They are available in 3 and 5-lead sets, or available to purchase individually in color-coded multi-packs. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.

ECG LEAD WIRES & TELEMETRY AAMI Color Coded - DIN Unshielded



| Order Code | Description | Length/Size | Qty |
|------------|-------------|-------------|-----|
|------------|-------------|-------------|-----|

SpO₂ Cable & Sensors

Note: Only the below genuine Spacelabs and Nellcor branded SpO₂ sensors are compatible with Spacelabs Telemetry systems

SpO₂ Cable



| | | | |
|-------------|--|-------------|---------|
| 700-0014-00 | TruLink SpO2 Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO2 sensors | 60 cm/24 in | 1 Cable |
|-------------|--|-------------|---------|

Reusable SpO₂ Sensors



| | | | |
|-------------|--|-------------------------|--------|
| 015-0660-00 | TruLink SpO ₂ finger sensor | Adult >30 kg/66 lbs. | 1 Each |
|-------------|--|-------------------------|--------|



| | | | |
|-------------|--|-------------------------|--------|
| 690-0003-01 | Nellcor DS-100A, finger SpO2 sensor <i>Available for sale with monitor purchase</i> | Adult >30 kg/66 lbs. | 1 Each |
|-------------|--|-------------------------|--------|

Disposable SpO₂ Sensors



| | | | |
|-------------|--------------------------------------|--------------------------|--------|
| 015-0662-00 | TruLink SpO ₂ foam sensor | Adult > 30 kg/66 lbs. | 24/Box |
|-------------|--------------------------------------|--------------------------|--------|



| | | | |
|-------------|---------------------------------------|-------------------------|--------|
| 015-0663-00 | TruLink SpO ₂ vinyl sensor | Adult >30 kg/66 lbs. | 24/Box |
|-------------|---------------------------------------|-------------------------|--------|



| | | | |
|-------------|--------------------------------------|---------------------------------------|--------|
| 015-0664-00 | TruLink SpO ₂ foam sensor | Pediatric 10-50 kg/ 22-110 lbs. | 24/Box |
|-------------|--------------------------------------|---------------------------------------|--------|



| | | | |
|-------------|---------------------------------------|---------------------------------------|--------|
| 015-0665-00 | TruLink SpO ₂ vinyl sensor | Pediatric 10-50 kg/ 22-110 lbs. | 24/Box |
|-------------|---------------------------------------|---------------------------------------|--------|



| | | | |
|-------------|---------------------------------------|--------------------------|--------|
| 015-0667-00 | TruLink SpO ₂ cloth sensor | Neonatal <3 kg/7 lbs. | 24/Box |
|-------------|---------------------------------------|--------------------------|--------|

Indicates discontinued part, available while supplies last