
Tru Link[®]






COMBINER LEAD WIRE SYSTEM IEC Color Coded

ECG Combiner Lead Wires & Cables

Our ECG Combiner System features a quickyoke connection between cables and lead wires which allows a quickly connect/disconnect between monitors and telemetrySystem is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code Description

ECG Combiner Lead Wire Sets - requires ECG Combiner Cable or Adapter

	Reusable, DIN	Shielded, Multi-Pinch,	IEC		
	700-0010-02	5 Lead (V-Lead)	Multi-Pinch	130cm/51 in	1 Set
	700-0006-43	5 Lead	Multi-Pinch	74 cm /29 in	1 Set
Multi-pinch	700-0006-44	5 Lead	Multi-Pinch	127cm /50 in	1 Set
220	Reusable, DIN	Shielded, Snap, IEC			
	700-0007-41	3 Lead	Snap	74cm /29 in	1 Set
Snap	Indicates discont	inued part, available while s	upplies last		
ECG Combiner C	ables				
	Spacelabs Con	nect Hardwired Cables	for monitors using Co	mmand Module (90	496/91496)
	700-0008-81	3 Lead	IEC	305 cm/10 ft	1 Cable
	700-0008-83	5 Lead	IEC	305 cm/10 ft	1 Cable
	700-0008-84	10 Lead	IEC	305 cm/10 ft	1 Cable

Ready to order? Click here to shop online USA residents only

ECG LEAD WIRES & CABLES IEC Color Coded - Shielded

ECG Lead Wires & Cables - Shielded

IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.



Order Code

Description

ECG Lead Wire Sets, Shielded, Reusable, IEC

	Snap Sets			
	700-0007-01	3 Lead, shielded	61 cm/24 in	1 Set
	700-0007-03	3 Lead, shielded	102 cm/40 in	1 Set
	700-0007-09	5 Lead, shielded	61 cm/24 in	1 Set
ττ	700-0007-11	5 Lead, shielded	102 cm/40 in	1 Set
Snap	700-0007-17	10 Lead, limb/chest, shielded	61 cm/24 in	1 Set
	700-0007-19	10 Lead, limb/chest, shielded	102 cm/40 in	1 Set
	Pinch Sets			
	700-0006-01	3 Lead, shielded	61 cm/24 in	1 Set
	700-0006-03	3 Lead, shielded	102 cm/40 in	1 Set
	700-0006-09	5 Lead, shielded	61 cm/24 in	1 Set
	700-0006-11	5 Lead, shielded	102 cm/40 in	1 Set
Pinch	700-0006-17	10 Lead, limb/chest, shielded	61 cm/24 in	1 Set
	700-0006-19	10 Lead, limb/chest, shielded	102 cm/40 in	1 Set

ECG Cables, Shielded, IEC



Spacelabs Connect Hardwired Cables for use with Spacelabs command module 90496/91496					
700-0008-09	3 Lead, shielded	305 cm/10 ft	1 Cable		
700-0008-07	5 Lead, shielded	305 cm/10 ft	1 Cable		
700-0008-01	10 Lead, shielded	305 cm/10 ft	1 Cable		


Indicates discontinued part, available while supplies last

Ready to order? Click here to shop online

ECG LEAD WIRES & CABLES IEC Color Coded - Shielded

ECG Lead Wires & Cables - Shielded

IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.



Order Code Description

Neonatal ECG Supplies & Accessories




DIN Unshielded, Neonatal ECG Cable				
700-0008-13	3 Lead		1 Cable	
DIN Unshielde	d, Neonatal Electrodes			
717-0080-00	Pre-wired neonatal electrodes, pre-gelled, silver/silver chloride, CE 24 month shelf life from date of manufacture	3-Lead	100 Sets/Box	



ECG LEAD WIRES & TELEMETRY IEC - DIN Unshielded

DIN Unshielded Lead Wires & Telemetry

TruLink ECG Din unshielded reusable lead wires are available in 3 and 5-lead sets. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.




Order Code Description

Length/Size Qty

ECG Lead Wire Sets, DIN Unshielded, Reusable, IEC

Snap Sets			
015-0733-00	3 Lead	90 cm/35 in	1 Set
012-0328-10	5 Lead	61 cm/24 in	1 Set
015-0737-00	5 Lead	90 cm/35 in	1 Set



Telemetry Accessories

Disposable Pouches and Electrodes			
010-2350-00	Aria Tele Bumper	5/box	
015-0500-02	Ultraview Telemetry pouch (90347)	100/Box	
Dold font indicat	os o nou port number		

Bold font indicates a new part number

Indicates discontinued part, available while supplies last



ECG LEAD WIRES & TELEMETRY IEC - DIN Unshielded

DIN Unshielded Lead Wires & Telemetry

TruLink ECG Din unshielded reusable lead wires are available in 3 and 5-lead sets. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



Order Code Description

Length/Size Qty

SpO₂ Cable & Sensors

	SpO ₂ Cable					
and the second s	700-0014-00	TruLink SpO2 Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO2 sensors	60 cm/24 in	1 Cable		
	Note: Only the bel	ow genuine Spacelabs and Nellcor branded SpO_2 sensors are comp	patible with Spacela	bs Telemetry systems		
	Reusable SpO	Reusable SpO ₂ Sensors				
- Cor	015-0660-00	TruLink SpO ₂ finger sensor	Adult >30 kg/66 lbs.	1 Each		
0	690-0003-01	Nellcor DS-100A, finger SpO2 sensor Available for sale with monitor purchase	Adult >30 kg/66 lbs.	1 Each		
	Disposable Sp	O ₂ Sensors				
♦ *	015-0662-00	TruLink SpO ₂ foam sensor	Adult > 30 kg/66 lbs.	24/Box		
¢ *	015-0663-00	TruLink SpO ₂ vinyl sensor	Adult >30 kg/66 lbs.	24/Box		
¢ *	015-0664-00	TruLink SpO ₂ foam sensor	Pediatric 10-50 kg/ 22-110 lbs.	24/Box		
¢ *	015-0665-00	TruLink SpO ₂ vinyl sensor	Pediatric 10-50 kg/ 22-110 lbs.	24/Box		
	015-0667-00	TruLink SpO ₂ cloth sensor	Neonatal <3 kg/7 lbs.	24/Box		
ĩ	Indicates discont	inued part, available while supplies last				

Indicates discontinued part, available while supplies last