


## Electrocardiography

**IEC COLOR CODING** 






## COMBINER LEAD WIRE SYSTEM IEC Color Coded

## ECG Combiner Lead Wires & Cables

Our ECG Combiner System features a quickyoke connection between cables and lead wires which allows a quickly connect/disconnect between monitors and telemetrySystem is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code Description Length Qty

### ECG Combiner Lead Wire Sets - requires ECG Combiner Cable or Adapter

9	6	0
		8

м	m	lti-	ni	nc	h

Reusable, DIN	Shielded, Multi-Pinch	, IEC			
700-0010-02	5 Lead (V-Lead)	Multi-Pinch	130cm/51 in	1 Set	
700-0006-43	5 Lead	Multi-Pinch	74 cm /29 in	1 Set	
700-0006-44	5 Lead	Multi-Pinch	127cm /50 in	1 Set	



#### Reusable, DIN Shielded, Snap, IEC

700-0007-41 3 Lead Snap 74cm /29 in 1 Set

Indicates discontinued part, available while supplies last

#### **ECG Combiner Cables**

#### Spacelabs Connect Hardwired Cables for monitors using Command Module (90496/91496) 700-0008-81 3 Lead **IEC** 305 cm/10 ft 1 Cable 700-0008-83 305 cm/10 ft 5 Lead **IEC** 1 Cable 700-0008-84 305 cm/10 ft 10 Lead **IEC** 1 Cable



#### **ECG Lead Wires & Cables - Shielded**

IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.

# **ECG LEAD WIRES & CABLES IEC Color Coded - Shielded**



Order Code Description Length Qty

### ECG Lead Wire Sets, Shielded, Reusable, IEC



<b>Snap Sets</b>			
700-0007-01	3 Lead, shielded	61 cm/24 in	1 Set
700-0007-03	3 Lead, shielded	102 cm/40 in	1 Set
700-0007-09	5 Lead, shielded	61 cm/24 in	1 Set
700-0007-11	5 Lead, shielded	102 cm/40 in	1 Set
700-0007-17	10 Lead, limb/chest, shielded	61 cm/24 in	1 Set
700-0007-19	10 Lead, limb/chest, shielded	102 cm/40 in	1 Set



**Pinch** 

ı	Pinch Sets			
_ 7	700-0006-01	3 Lead, shielded	61 cm/24 in	1 Set
	700-0006-03	3 Lead, shielded	102 cm/40 in	1 Set
	700-0006-09	5 Lead, shielded	61 cm/24 in	1 Set
-	700-0006-11	5 Lead, shielded	102 cm/40 in	1 Set
7	700-0006-17	10 Lead, limb/chest, shielded	61 cm/24 in	1 Set
-	700-0006-19	10 Lead, limb/chest, shielded	102 cm/40 in	1 Set

#### **ECG Cables, Shielded, IEC**



Spacelabs Connect Hardwired Cables for use with Spacelabs command module 90496/91496			
700-0008-09	3 Lead, shielded	305 cm/10 ft	1 Cable
700-0008-07	5 Lead, shielded	305 cm/10 ft	1 Cable
700-0008-01	10 Lead, shielded	305 cm/10 ft	1 Cable

Indicates discontinued part, available while supplies last



#### **ECG Lead Wires & Cables - Shielded**

IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.

## **ECG LEAD WIRES & CABLES IEC Color Coded - Shielded**



Order Code Description Length Qty

#### **Neonatal ECG Supplies & Accessories**



#### **DIN Unshielded, Neonatal ECG Cable**

700-0008-13 3 Lead 1 Cable



#### **DIN Unshielded, Neonatal Electrodes**

717-0080-00 Pre-wired neonatal electrodes, pre-gelled, silver/silver 3-Lead 100 chloride, CE Sets/Box


24 month shelf life from date of manufacture



## ECG LEAD WIRES & TELEMETRY IEC - DIN Unshielded

# DIN Unshielded Lead Wires & Telemetry

TruLink ECG Din unshielded reusable lead wires are available in 3 and 5-lead sets. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



Order Code Description Length/Size Qty

#### ECG Lead Wire Sets, DIN Unshielded, Reusable, IEC



Snap Sets			
015-0733-00	3 Lead	90 cm/35 in	1 Set
012-0328-10	5 Lead	61 cm/24 in	1 Set
015-0737-00	5 Lead	90 cm/35 in	1 Set



Pinch Sets			
015-0735-00	5 Lead	90 cm/35 in	1 Set



#### For use with DIN Unshielded Lead Wires

706-0190-00 Aria Telemetry Grouper (96281), IEC 5/Bag

#### **Telemetry Accessories**



Disposable Pouches and Electrodes		
010-2350-00	Aria Tele Bumper	5/box
015-0500-02	Ultraview Telemetry pouch (90347)	100/Box


Indicates discontinued part, available while supplies last



### **ECG LEAD WIRES & TELEMETRY IEC - DIN Unshielded**

### **DIN Unshielded Lead Wires & Telemetry**

TruLink ECG Din unshielded reusable lead wires are available in 3 and 5-lead sets. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



**Order Code** Description Length/Size Qty

#### SpO<sub>2</sub> Cable & Sensors

SpO <sub>2</sub> Cable			
700-0014-00	TruLink SpO2 Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO2 sensors	60 cm/24 in	1 Cable
		patible with Spacela	bs Telemetry systems
Reusable SpO	<sub>2</sub> Sensors		
015-0660-00	TruLink SpO₂ finger sensor	Adult >30 kg/66 lbs.	1 Each
690-0003-01	Nellcor DS-100A, finger SpO2 sensor  Available for sale with monitor purchase	Adult >30 kg/66 lbs.	1 Each
Disposable Sp	O <sub>2</sub> Sensors		
015-0662-00	TruLink SpO₂ foam sensor	Adult > 30 kg/66 lbs.	24/Box
015-0663-00	TruLink SpO₂ vinyl sensor	Adult >30 kg/66 lbs.	24/Box
015-0664-00	TruLink SpO₂ foam sensor	Pediatric 10-50 kg/ 22-110 lbs.	24/Box
015-0665-00	TruLink SpO <sub>2</sub> vinyl sensor	Pediatric 10-50 kg/ 22-110 lbs	24/Box
015-0667-00	TruLink SpO <sub>2</sub> cloth sensor	Neonatal	24/Box
Indicates discont	inued part, available while supplies last	C.	
	700-0014-00  Note: Only the bell Reusable SpO   015-0660-00  690-0003-01  Disposable Sp   015-0662-00  015-0663-00  015-0665-00	TruLink SpO2 Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO2 sensors  Note: Only the below genuine Spacelabs and Nellcor branded SpO <sub>2</sub> sensors are compared SpO <sub>2</sub> Sensors  O15-0660-00 TruLink SpO <sub>2</sub> finger sensor  690-0003-01 Nellcor DS-100A, finger SpO2 sensor Available for sale with monitor purchase  Disposable SpO <sub>2</sub> Sensors  O15-0662-00 TruLink SpO <sub>2</sub> foam sensor  O15-0663-00 TruLink SpO <sub>2</sub> vinyl sensor	TruLink SpO2 Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO2 sensors  Note: Only the below genuine Spacelabs and Nellcor branded SpO2 sensors are compatible with Spacelate Reusable SpO2 Sensors  105-0660-00 TruLink SpO2 finger sensor Adult >30 kg/66 lbs.  690-0003-01 Nellcor DS-100A, finger SpO2 sensor Adult >30 kg/66 lbs.  Disposable SpO2 Sensors  015-0662-00 TruLink SpO2 foam sensor Adult >30 kg/66 lbs.  015-0663-00 TruLink SpO2 vinyl sensor Adult >30 kg/66 lbs.  015-0663-00 TruLink SpO2 vinyl sensor Adult >30 kg/66 lbs.  015-0664-00 TruLink SpO2 vinyl sensor Pediatric 10-50 kg/ 22-110 lbs.  015-0667-00 TruLink SpO2 vinyl sensor Pediatric 10-50 kg/ 22-110 lbs.