


Electrocardiography

IEC COLOR CODING



ECG Combiner Lead Wires & Cables

Our ECG Combiner System features a quick-yoke connection between cables and lead wires which allows a quick connect/disconnect between monitors and telemetry. The system is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

ECG Combiner Lead Wire Sets - requires ECG Combiner Cable or Adapter



Multi-pinch

Reusable, DIN Shielded, Multi-Pinch, IEC

700-0010-02	5 Lead (V-Lead)	Multi-Pinch	130cm/51 in	1 Set
700-0006-43	5 Lead	Multi-Pinch	74 cm /29 in	1 Set
700-0006-44	5 Lead	Multi-Pinch	127cm /50 in	1 Set



Reusable, DIN Shielded, Snap, IEC

700-0007-41	3 Lead	Snap	74cm /29 in	1 Set
Indicates discontinued part, available while supplies last				

ECG Combiner Cables



Spacelabs Connect Hardwired Cables for monitors using Command Module (90496/91496)

700-0008-81	3 Lead	IEC	305 cm/10 ft	1 Cable
-------------	--------	-----	--------------	---------



700-0008-83	5 Lead	IEC	305 cm/10 ft	1 Cable
-------------	--------	-----	--------------	---------



700-0008-84	10 Lead	IEC	305 cm/10 ft	1 Cable
-------------	---------	-----	--------------	---------

ECG Lead Wires & Cables - Shielded

IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

ECG Lead Wire Sets, Shielded, Reusable, IEC



Snap

Snap Sets

700-0007-01	3 Lead, shielded	61 cm/24 in	1 Set
700-0007-03	3 Lead, shielded	102 cm/40 in	1 Set
700-0007-09	5 Lead, shielded	61 cm/24 in	1 Set
700-0007-11	5 Lead, shielded	102 cm/40 in	1 Set
700-0007-17	10 Lead, limb/chest, shielded	61 cm/24 in	1 Set
700-0007-19	10 Lead, limb/chest, shielded	102 cm/40 in	1 Set



Pinch

Pinch Sets

700-0006-01	3 Lead, shielded	61 cm/24 in	1 Set
700-0006-03	3 Lead, shielded	102 cm/40 in	1 Set
700-0006-09	5 Lead, shielded	61 cm/24 in	1 Set
700-0006-11	5 Lead, shielded	102 cm/40 in	1 Set
700-0006-17	10 Lead, limb/chest, shielded	61 cm/24 in	1 Set
700-0006-19	10 Lead, limb/chest, shielded	102 cm/40 in	1 Set

ECG Cables, Shielded, IEC



Spacelabs Connect Hardwired Cables for use with Spacelabs command module 90496/91496

700-0008-09	3 Lead, shielded	305 cm/10 ft	1 Cable
700-0008-07	5 Lead, shielded	305 cm/10 ft	1 Cable
700-0008-01	10 Lead, shielded	305 cm/10 ft	1 Cable

Indicates discontinued part, available while supplies last

ECG Lead Wires & Cables - Shielded

IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

Neonatal ECG Supplies & Accessories



DIN Unshielded, Neonatal ECG Cable

700-0008-13 3 Lead 1 Cable



DIN Unshielded, Neonatal Electrodes

717-0080-00 Pre-wired neonatal electrodes, pre-gelled, silver/silver chloride, CE 3-Lead 100 Sets/Box
24 month shelf life from date of manufacture

DIN Unshielded Lead Wires & Telemetry

TruLink ECG Din unshielded reusable lead wires are available in 3 and 5-lead sets. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

ECG Lead Wire Sets, DIN Unshielded, Reusable, IEC



Snap Sets

015-0733-00	3 Lead	90 cm/35 in	1 Set
012-0328-10	5 Lead	61 cm/24 in	1 Set
015-0737-00	5 Lead	90 cm/35 in	1 Set



Pinch Sets

015-0735-00	5 Lead	90 cm/35 in	1 Set
-------------	--------	-------------	-------



For use with DIN Unshielded Lead Wires

706-0190-00	Aria Telemetry Grouper (96281), IEC	5/Bag
-------------	-------------------------------------	-------

Telemetry Accessories



Disposable Pouches and Electrodes

010-2350-00	Aria Tele Bumper	5/box
015-0500-02	Ultraview Telemetry pouch (90347)	100/Box

Indicates discontinued part, available while supplies last

DIN Unshielded Lead Wires & Telemetry

TruLink ECG Din unshielded reusable lead wires are available in 3 and 5-lead sets. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



Order Code	Description	Length/Size	Qty
------------	-------------	-------------	-----

SpO₂ Cable & Sensors

SpO₂ Cable



700-0014-00 TruLink SpO₂ Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO₂ sensors

Note: Only the below genuine Spacelabs and Nellcor branded SpO₂ sensors are compatible with Spacelabs Telemetry systems

Reusable SpO₂ Sensors



015-0660-00 TruLink SpO₂ finger sensor Adult 1 Each
>30 kg/66 lbs.

Disposable SpO₂ Sensors



015-0662-00 TruLink SpO₂ foam sensor Adult 24/Box
> 30 kg/66 lbs.



015-0663-00 TruLink SpO₂ vinyl sensor Adult 24/Box
>30 kg/66 lbs.

Indicates discontinued part, available while supplies last