

Electrocardiography


IEC COLOR CODING



Ready to order?  Click here to shop online
USA residents only

ECG Combiner Lead Wires & Cables

Our ECG Combiner System features a quick-yoke connection between cables and lead wires which allows a quickly connect/disconnect between monitors and telemetrySystem is validated for use with Spacelabs command modules 90496/91496 and Aria/Ultraview Telemetry.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

ECG Combiner Lead Wire Sets - requires ECG Combiner Cable or Adapter



Multi-pinch

Reusable, DIN Shielded, Multi-Pinch, IEC

700-0010-02	5 Lead (V-Lead)	Multi-Pinch	130cm/51 in	1 Set
700-0006-43	5 Lead	Multi-Pinch	74 cm /29 in	1 Set
700-0006-44	5 Lead	Multi-Pinch	127cm /50 in	1 Set



Snap

Reusable, DIN Shielded, Snap, IEC

700-0007-41	3 Lead	Snap	74cm /29 in	1 Set
Indicates discontinued part, available while supplies last				

ECG Combiner Cables



Spacelabs Connect Hardwired Cables for monitors using Command Module (90496/91496)

700-0008-81	3 Lead	IEC	305 cm/10 ft	1 Cable
700-0008-83	5 Lead	IEC	305 cm/10 ft	1 Cable
700-0008-84	10 Lead	IEC	305 cm/10 ft	1 Cable



ECG Lead Wires & Cables - Shielded


IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.



	Order Code	Description	Length	Qty
ECG Lead Wire Sets, Shielded, Reusable, IEC				
 Snap	Snap Sets			
	700-0007-01	3 Lead, shielded	61 cm/24 in	1 Set
	700-0007-03	3 Lead, shielded	102 cm/40 in	1 Set
	700-0007-09	5 Lead, shielded	61 cm/24 in	1 Set
	700-0007-11	5 Lead, shielded	102 cm/40 in	1 Set
	700-0007-17	10 Lead, limb/chest, shielded	61 cm/24 in	1 Set
 Pinch	700-0007-19	10 Lead, limb/chest, shielded	102 cm/40 in	1 Set
	Pinch Sets			
	700-0006-01	3 Lead, shielded	61 cm/24 in	1 Set
	700-0006-03	3 Lead, shielded	102 cm/40 in	1 Set
	700-0006-09	5 Lead, shielded	61 cm/24 in	1 Set
	700-0006-11	5 Lead, shielded	102 cm/40 in	1 Set
	700-0006-17	10 Lead, limb/chest, shielded	61 cm/24 in	1 Set
	700-0006-19	10 Lead, limb/chest, shielded	102 cm/40 in	1 Set
ECG Cables, Shielded, IEC				
	Spacelabs Connect Hardwired Cables for use with Spacelabs command module 90496/91496			
	700-0008-09	3 Lead, shielded	305 cm/10 ft	1 Cable
	700-0008-07	5 Lead, shielded	305 cm/10 ft	1 Cable
	700-0008-01	10 Lead, shielded	305 cm/10 ft	1 Cable
Indicates discontinued part, available while supplies last				

ECG Lead Wires & Cables - Shielded

IEC color coded shielded ECG lead wires and cables for use with Spacelabs Command Modules 90496 & 91496 and mCare Monitor 91220.



Order Code	Description	Length	Qty
------------	-------------	--------	-----

Neonatal ECG Supplies & Accessories



DIN Unshielded, Neonatal ECG Cable

700-0008-13	3 Lead		1 Cable
-------------	--------	--	---------

DIN Unshielded, Neonatal Electrodes

717-0080-00	Pre-wired neonatal electrodes, pre-gelled, silver/silver chloride, CE <i>24 month shelf life from date of manufacture</i>	3-Lead	100 Sets/Box
-------------	--	--------	-----------------

DIN Unshielded Lead Wires & Telemetry


TruLink ECG Din unshielded reusable lead wires are available in 3 and 5-lead sets. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



	Order Code	Description	Length/Size	Qty
ECG Lead Wire Sets, DIN Unshielded, Reusable, IEC				
 Snap	Snap Sets			
	015-0733-00	3 Lead	90 cm/35 in	1 Set
	012-0328-10	5 Lead	61 cm/24 in	1 Set
	015-0737-00	5 Lead	90 cm/35 in	1 Set
	Pinch Sets			
	015-0735-00	5 Lead	90 cm/35 in	1 Set
	For use with DIN Unshielded Lead Wires			
	706-0190-00	Aria Telemetry Grouper (96281), IEC		5/Bag
Telemetry Accessories				
	Disposable Pouches and Electrodes			
	010-2350-00	Aria Tele Bumper		5/box
	015-0500-02	Ultraview Telemetry pouch (90347)		100/Box
Indicates discontinued part, available while supplies last				

DIN Unshielded Lead Wires & Telemetry

TruLink ECG Din unshielded reusable lead wires are available in 3 and 5-lead sets. They can be ordered with a snap or pinch electrode interface. A grouper adapter is also available to help manage leads for a quick connection to the transmitter. Validated for use with models 90341, 90343, 90347, 91341, 91343, 91347 and 96281.



Order Code	Description	Length/Size	Qty
SpO₂ Cable & Sensors			
SpO₂ Cable			
 700-0014-00	TruLink SpO2 Sensor Adapter Cable Compatible with SL multi-parameter telemetry transmitters (90343/91343/96281) and TruLink SpO2 sensors	60 cm/24 in	1 Cable
Note: Only the below genuine Spacelabs and Nellcor branded SpO₂ sensors are compatible with Spacelabs Telemetry systems			
Reusable SpO₂ Sensors			
 015-0660-00	TruLink SpO ₂ finger sensor	Adult >30 kg/66 lbs.	1 Each
Disposable SpO₂ Sensors			
 015-0662-00	TruLink SpO ₂ foam sensor	Adult > 30 kg/66 lbs.	24/Box
 015-0663-00	TruLink SpO ₂ vinyl sensor	Adult >30 kg/66 lbs.	24/Box
Indicates discontinued part, available while supplies last			